

Addendum # 1 -- 15-021.0-CIP -- E-Mail Coversheet

2015 Shared-Use Path Maintenance Program

<i>Planholder</i>	<i>Company E-Mail</i>	<i>Company Contact</i>
Allied Construction Industries	coakley@aci-construction.org	Candi Oakley
Bid Net	gbs@bidnet.com	Mary Testa
Builders Exchange	ametcalf@bxohio.com	Andrea Metcalf
Cameron Bridge Works, LLC.	katie@cameronbridgeworks.com	Katie Fairbanks
CDH Unlimited LLC	hylton@astartesdraperyworkroom.com	Clarissa Hylton
Columbus Asphalt Paving, Inc.	dpower@capasphalt.com	David Power
Construction Journal	ted.blaicher@constructionjournal.com	Ted Blaicher
Construction Video Media	barbara@constructionvideomedia.com	Dwight Spengler
Deltek	dinadagdag@deltek.com	Dina Dagdag
DODGE Data & Analytics	madonna.griffin@construction.com	Madonna Griffin
George J. Igel & Company, Inc.	matt.check@igelco.com	Matt Check
Hill International	danielweis@hillintl.com	Dan Weis
ISQFT	ohio@isqft.com	Allen Blair
Jess Howard	lauras@jesshoward.com	Laura Snyder
Pavement Technology Inc.	kmcintyre@pavetechinc.com	Karen McIntyre
Rocky Fork Company	eroberts@rockyfork.com	Eric Roberts
Strawser Paving Company, Inc.	TRAWSER@STRAWSERPAVING.COM	Kyle Strawser
The Blue Book Building & Construction	kstein@thebluebook.com	Kathy Stein

Please sign, date and return by e-mail to hgeorge@dublin.oh.us to verify receipt of this addendum. Attach signed copy of addendum to bid package when submitting a bid.

Received by: _____ Date: _____



Date of Addendum
Aug 11, 2015

City of Dublin -- Division of Engineering
5800 Shier-Rings Road Dublin OH 43016
Phone (614) 410-4640 Fax (614) 761-650

**ADDENDUM NO. 1
to the contract for**

**2015 SHARED USE PATH MAINTENANCE PROGRAM
15-021-CIP**

Bid Date: AUGUST 12, 2015

TO PROSPECTIVE BIDDERS: The following changes shall be made part of the contract documents for this project:

ESTIMATED QUANTITY ADJUSTMENTS

Reference No. 2, Item No. 202 Bollards – Removed/Disposed of (EA)

Original total estimated quantity: 3 EA

Revised total estimated quantity: 21 EA

CONSTRUCTION DRAWINGS

Replace estimated construction quantity summary sheets 1 and 2 with revised overall quantity sheets 1 and 2 dated August 11, 2015

SECTION 2 - BIDDING FORMS

Remove Bid Schedule Sheets 26-1 through 26-3 dated July 28, 2015 and replace with Bid Schedule Sheets 26-1 through 26-3 dated August 11, 2015

Addendum Approved By:



Paul A. Hammersmith, PE
Director of Engineering/City Engineer

08/11/2015

Date

* * * * *

**Terminus for Addendum No. 1
Certification by Bidder**

Bidder shall sign and date one copy of this Addendum No. 1 and submit with his proposal as evidence of receipt and evaluation of same in his bid analysis.

Signed: _____ **Date:** _____

Company: _____

BID SCHEDULE

CITY OF DUBLIN

BIDDER agrees to perform all work described in the CONTRACT DOCUMENTS for the following unit prices:

2015 SHARED USE PATH MAINTENANCE PROGRAM

(8)

(3) X (7)
TOTAL EXTENDED
INFORMAL PRICE(\$)

REF NO.	(1) ITEM	(2) DESCRIPTION	(3) QUANT.	(4) UNIT	(5) LABOR(\$)	(6) MATERIAL(\$)	(7) (5)+(6) TOTAL(\$)	(8) TOTAL EXTENDED INFORMAL PRICE(\$)
		EXCAVATION AND REMOVAL						
1	202	Bike Path Removed and Disposed of A.P.P. (SY)	10,134.0	SY				
2	202	Bollards - Removed/Disposed of	21.0	EA				
3	202	Concrete Removed & Disposed of, A.P.P. (SY)	1,075.0	SY				
4	202	Curb / Curb and Gutter Removed / Disposed of, A.P.P. (LF)	325.0	LF				
5	202	Fence Removed / Disposed of, A.P.P. (LF)	10.0	LF				
6	202	Asphalt Drive Pavement Removed and Disposed of, A.P.P. (SY)	327.0	SY				
7	203	Embankment (CY)	87.5	CY				
8	203*	Excavation, A.P.P. (CY)	740.0	CY				
				EXCAVATION AND REMOVAL SUB-TOTAL				
		PAVEMENT AND RELATED						
9	204	No. 2 Stone (703)- Parking Lot / Bike Path (CY)	105.0	CY				
10	209*	Linear Grading (SY)	330.0	SY				
11	251*	Asphalt Surface Patch - Miscellaneous, 2" A.P.P. (SY)	80.0	SY				
12	253*	Pavement Repair - Bikepath, 2.5" A.P.P. (SY)	50.0	SY				
13	253*	Pavement Repair - Driveway, 4.5" A.P.P. (SY)	45.5	SY				
14	304*	Aggregate Base - Parking Lot / Bike Path (CY)	740.0	CY				
15	407*	NTSS-1HM TracklessTack Coat (GAL)	1,234.0	GAL				
16	441*	(Bikepath) Asphalt Concrete Intermediate Course, Type 2, (448), PG64-22 (TN)	1,400.0	TN				
17	441*	(Bikepath) Asphaltic Concrete Surface Course, Type-1, (448), PG64-22 (TN)	1,337.0	TN				

BID SCHEDULE

CITY OF DUBLIN

BIDDER agrees to perform all work described in the CONTRACT DOCUMENTS for the following unit prices:

2015 SHARED USE PATH MAINTENANCE PROGRAM

(8)

(3) X (7)
TOTAL EXTENDED
INFORMAL PRICE(\$)

REF NO.	(1) ITEM	(2) DESCRIPTION	(3) QUANT.	(4) UNIT	(5) LABOR(\$)	(6) MATERIAL(\$)	(7) (5)+(6) TOTAL(\$)	(8)
		PAVEMENT AND RELATED - CONTINUED						
18	802	Valve Box - Adjust to Grade (EA)	1.0	EA				
19	Special	Asphalt Rejuvenating Agent (SY)	16,335.0	SY				
20	Special	Concrete Bike Rack - Remove and Install (EA)	4.0	EA				
21	Special	Remove and Dispose of Ex. 9' Trench Drain (EA)	1.0	EA				
22	Special	Cleaning and Prep. Of Asphalt Path for Overlay (SY)	4,786.0	SY				
				PAVEMENT AND RELATED SECTION SUB-TOTAL				
		CONCRETE AND CONCRETE STRUCTURES						
23	452	10" Plain PCC Pavement, (SY)	733.0	SY				
24	608	6" Conc. Walk w/ Agg. Base, A.P.P. (SF)	185.0	SF				
25	608	Curb Ramp, 6" Conc. w/Agg. Base, A.P.P.(SF)	2,015.0	SF				
26	609	Combination Curb and Gutter, A.P.P. (LF)	225.0	LF				
27	609*	Curb, ODOT Type 6, AP.P.(LF)	100.0	LF				
28	618	Drain Leader Pipe (LF)	200.0	LF				
29	802	Water Service Box Adjust to Grade (EA)	3.0	EA				
30	Special	Detectable Warning Panel (SF)	80.0	SF				
				CONCRETE AND CONCRETE STRUCTURES SECTION SUB-TOTAL				

BID SCHEDULE

CITY OF DUBLIN

BIDDER agrees to perform all work described in the CONTRACT DOCUMENTS for the following unit prices:

2015 SHARED USE PATH MAINTENANCE PROGRAM

(8)

(3) X (7)
TOTAL EXTENDED
INFORMAL PRICE(\$)

REF NO.	(1) ITEM	(2) DESCRIPTION	(3) QUANT.	(4) UNIT	(5) LABOR(\$)	(6) MATERIAL(\$)	(7) (5)+(6) TOTAL(\$)	(3) X (7) TOTAL EXTENDED INFORMAL PRICE(\$)
		STORM SEWER AND STRUCTURES						
31	604	12" ADS in Line Basin W/ H-20 Grate (EA)	3.0	EA				
32	604	Structure - Adjust Concrete Storm Top to Grade (EA)	1.0	EA				
33	604	Structure - Adjust Nyoplast Drain to Grade (EA)	3.0	EA				
34	604	Structure- Adjust, Casting Adjust (EA)	2.0	EA				
35	901	12" ADS Flared End Section w/ Adapter, (EA)	1.0	EA				
36	901	12" HDPP (720.13), Type 1 Bedding (LF)	70.0	LF				
37	901	8" ADS N-12 Pipe w/ Type 1 Bedding (LF)	20.0	LF				
38	901	18" RCP, Excavate, Remove and Relay (Type 1 Bedding) (LF)	24.0	LF				
39	Special	Remove and Dispose of Ex. 9' Trench Drain (EA)	1.0	EA				
				STORM SEWER AND STRUCTURES SECTION SUB-TOTAL				
		LANDSCAPING / RESTORATION						
40	653	Pulverized Topsoil, A.P.P. (CY)	300.0	CY				
41	659	Vegetation (Seed/Mulch), A.P.P., (SY)	4,900.0	SY				
42	671*	Erosion Control Mat, Type G (SY)	140.0	SY				
				LANDSCAPING / RESTORATION SECTION SUB-TOTAL				
		MAINTENANCE OF TRAFFIC / MISCELLANEOUS ITEMS						
43	614	Flagger- [Dedicated Flagger] (HR)	40.0	HR				
				MAINTENANCE OF TRAFFIC / MISCELLANEOUS ITEMS SECTION SUB-TOTAL				

COMPANY NAME:

DATE _____

ENTER TOTAL BID AMOUNT ON PAGE 21
IN THE SPACES PROVIDED

TOTAL=

* DENOTES REFERENCE TO ODOT CONSTRUCTION AND MATERIAL SPECIFICATIONS (LATEST EDITION).

15-021-CIP 2015 SHARED USE PATH MAINTENANCE PROGRAM			SHEETS:	1-4	5-9	10-14	xx
REFERENCE NUMBER	ITEM	DESCRIPTION	ESTIMATED TOTAL QUANTITY	SCOTTISH CORNERS PARK PATHS	PERIMETER DR PATHS	POST RD PATHS	CONTINGENCY AND MISCELLANEOUS PROVISIONS
		Excavation and Removal					
1	202	Bike Path Removed and Disposed of, A.P.P. (SY)	10134	4510	2176	3448	
2	202	Bollards - Removed/Disposed of (EA)	21	3	18		
3	202	Concrete Removed & Disposed of, A.P.P. (SY)	1075	20	830	200	25
4	202	Curb / Curb and Gutter Removed / Disposed of, A.P.P. (LF)	325	40	100	85	100
5	202	Fence Removed / Disposed of, A.P.P. (LF)	10	10			
6	202	Asphalt Drive Pavement Removed and Disposed of, A.P.P. (SY)	327			292	35
7	203	Embankment (CY)	87.5	80		7.5	
8	203*	Excavation, A.P.P. (CY)	740	341	262	37	100
		Pavement and Related					
9	204	No. 2 Stone (703)- Parking Lot / Bike Path (CY)	105			5	100
10	209*	Linear Grading (SY)	330	110	80	140	
11	251*	Asphalt Surface Patch - Miscellaneous, 2", A.P.P. (SY)	80	7	34	14	25
12	253*	Pavement Repair - Bikepath, 2.5" A.P.P. (SY)	50				50
13	253*	Pavement Repair - Driveway, 4.5", A.P.P. (SY)	45.5		40	5.5	
14	304*	Aggregate Base - Parking Lot / Bike Path (CY)	740	405	171	64	100
15	407*	NTSS-1HM TracklessTack Coat (GAL)	1234	590	310	334	
16	441*	(Bikepath) Asphalt Concrete Intermediate Course, Type 2, (448), PG64-22 (TN)	1400	670	310	370	50
17	441*	(Bikepath) Asphaltic Concrete Surface Course, Type-1, (448), PG64-22 (TN)	1337	600	330	337	70
18	802	Valve Box - Adjust to Grade (EA)	1				1
19	Special	Asphalt Rejuvenating Agent (SY)	16335	7100	4610	4625	
20	Special	Concrete Bike Rack - Remove and Install (EA)	4	4			
21	Special	Remove and Dispose of Ex. 9' Trench Drain (EA)	1	1			
22	Special	Cleaning and Prep. Of Asphalt Path for Overlay (SY)	4786	2572	981	1233	

15-021-CIP 2015 SHARED USE PATH MAINTENANCE PROGRAM			SHEETS:	1-4	5-9	10-14	xx
REFERENCE NUMBER	ITEM	DESCRIPTION	ESTIMATED TOTAL QUANTITY	SCOTTISH CORNERS PARK PATHS	PERIMETER DR PATHS	POST RD PATHS	CONTINGENCY AND MISCELLANEOUS PROVISIONS
		Concrete and Concrete Structures					
23	452	10" Plain PCC Pavement, (SY)	733		665	68	
24	608	6" Conc. Walk w/ Agg. Base, A.P.P. (SF)	185		85		100
25	608	Curb Ramp, 6" Conc. w/Agg. Base, A.P.P.(SF)	2015	60	1569	386	
26	609	Combination Curb and Gutter, A.P.P. (LF)	225	40	100	85	50
27	609	Curb, ODOT Type 6, AP.P.(LF)	100				100
28	618	Drain Leader Pipe (LF)	200				200
29	802	Water Service Box Adjust to Grade (EA)	3				3
30	Special	Detectable Warning Panel (SF)	80	16	32	32	
		Storm Sewer and Structures					
31	604	12" ADS in Line Basin W/ H-20 Grate (EA)	3	2		1	
32	604	Structure - Adjust Concrete Storm Top to Grade (EA)	1			1	
33	604	Structure - Adjust Nyoplast Drain to Grade (EA)	3	3			
34	604	Structure- Adjust, Casting Adjust (EA)	2				2
35	901	12" ADS Flared End Section w/ Adapter, (EA)	1	1			
36	901	12" HDPP (720.13), Type 1 Bedding (LF)	70	70			
37	901	8" ADS N-12 Pipe w/ Type 1 Bedding (LF)	20			20	
38	901	18" RCP, Excavate, Remove and Relay (Type 1 Bedding) (LF)	24	24			
39	Special	Remove and Dispose of Ex. 9' Trench Drain (EA)	1	1			
		Landscaping and Restoration					
40	653	Pulverized Topsoil, A.P.P. (CY)	300	130	50	80	40
41	659	Vegetation (Seed/Mulch), A.P.P., (SY)	4900	1900	1000	1700	300
42	671*	Erosion Control Mat, Type G (SY)	140			140	
		Maintenance of Traffic / Miscellaneous Items					
43	614	Flagger- [Dedicated Flagger] (HR)	40				40